



# Taper-Kettenräder für Ketten nach DIN-Nr. 8187



Zähnezahl Z	Abmessungen in mm allgemein de dp		Artikel-Nr. Ketten Fuchs											
			321-110- (+Zähnezahl)				322-110- (+Zähnezahl)				323-110- (+Zähnezahl)			
			einfach		zweifach		einfach		zweifach		dreifach		Typ	
dm	A	Buchse	Typ	dm	A	Buchse	Typ	dm	A	Buchse	Typ			
017 TL	55,3	51,83	44,5	22,0	1008	1	42,5	22,0	1008	2				
018 TL	58,3	54,85	43,0	22,0	1008	1	43,0	22,0	1008	2				
019 TL	61,3	57,87	46,0	22,0	1008	1	46,0	22,0	1008	2				
020 TL	64,3	60,89	46,0	22,0	1008	1	48,0	22,0	1008	2				
021 TL	68,0	63,91	46,0	22,0	1008	1	49,0	22,0	1008	2				
022 TL	71,0	66,93	50,0	22,0	1108	1	52,0	22,0	1108	2				
023 TL	73,5	69,95	62,0	25,0	1210	1	58,0	25,0	1210	2				
024 TL	77,0	72,97	62,0	25,0	1210	1	61,0	25,0	1210	2				
025 TL	80,0	76,00	63,0	25,0	1210	1	64,0	25,0	1210	2				
026 TL	83,0	79,02	60,0	25,0	1210	1	65,0	25,0	1210	2				
027 TL	86,0	82,05	60,0	25,0	1210	1	65,0	25,0	1210	2				
028 TL	89,0	85,07	60,0	25,0	1210	1	65,0	25,0	1210	2				
030 TL	94,7	91,12	63,0	25,0	1210	1	65,0	25,0	1210	2				
038 TL	119,5	115,35	73,0	25,0	1210	1	76,0	25,0	1610	2				
045 TL	140,7	136,55	73,0	25,0	1210	1	89,0	25,0	1610	2				
057 TL	176,9	172,91	83,0	25,0	1210	6	89,0	25,0	1610	7				
076 TL	234,9	230,49	83,0	25,0	1210	6	89,0	25,0	1610	7				
095 TL	292,5	288,08	83,0	25,0	1210	6	89,0	25,0	1610	7				
114 TL	349,5	345,68	83,0	38,0	1215	6	89,0	38,0	1615	7				

3/8" x 7/32"  
9,525 x 5,72 mm  
06B - 1 - 2

Zähnezahl Z	Abmessungen in mm allgemein de dp		Artikel-Nr. Ketten Fuchs											
			321-240- (+Zähnezahl)				322-240- (+Zähnezahl)				323-240- (+Zähnezahl)			
			einfach		zweifach		einfach		zweifach		dreifach		Typ	
dm	A	Buchse	Typ	dm	A	Buchse	Typ	dm	A	Buchse	Typ			
015 TL	65,5	61,09	46,0	22,0	1008	1	46,0	22,0	1008	2				
016 TL	69,5	65,10	50,0	22,0	1108	1	50,0	22,0	1108	2				
017 TL	73,6	69,11	59,5	25,0	1210	1	56,0	25,0	1210	2				
018 TL	77,8	73,14	60,0	25,0	1210	1	58,0	25,0	1210	2				
019 TL	81,7	77,16	63,0	25,0	1210	1	64,0	25,0	1210	2				
020 TL	85,5	81,19	71,0	25,0	1610	1	66,0	25,0	1610	2				
021 TL	89,7	85,22	71,0	25,0	1610	1	71,0	25,0	1610	2				
022 TL	93,8	89,24	70,0	25,0	1610	1	76,0	25,0	1610	2				
023 TL	98,2	93,27	76,0	25,0	1610	1	79,0	25,0	1610	2				
024 TL	101,8	97,29	70,0	25,0	1610	1	84,0	32,0	2012	2				
025 TL	105,8	101,33	76,0	25,0	1610	1	87,0	32,0	2012	2				
026 TL	110,0	105,36	70,0	25,0	1610	1	85,0	32,0	2012	2				
027 TL	114,0	109,40	76,0	25,0	1610	1	87,0	32,0	2012	2				
028 TL	118,0	113,42	90,0	32,0	2012	1	87,0	32,0	2012	2				
030 TL	126,1	121,50	90,0	32,0	2012	1	87,0	32,0	2012	2				
038 TL	158,6	153,80	102,0	32,0	2012	1	102,0	32,0	2012	2				
045 TL	188,0	182,07	102,0	32,0	2012	1	111,0	32,0	2012	2				
057 TL	236,4	230,54	111,0	32,0	2012	6	111,0	32,0	2012	7				
076 TL	313,3	307,33	111,0	32,0	2012	6	111,0	32,0	2012	7				
095 TL	390,1	384,11	111,0	32,0	2012	6	111,0	32,0	2012	7				
114 TL	466,9	460,90	124,0	45,0	2517	6	124,0	45,0	2517	7				

1/2" x 5/16"  
12,7 x 7,75 mm  
08B - 1 - 2